

SKYWARN Spotter Training

Michael Cempa
National Weather Service
Weather Forecast Office
Gray, Maine
www.weather.gov/gray

Overview

- National Weather Service Definitions and Forecasting Tools
- Weather Spotters...Why they're important?
- Thunderstorms
- Tornadoes
- Flash Flooding
- Storm Safety


NWS Mission

"To protect the lives and property of the citizens of the United States..."


- Watches and Warnings
- Outreach and Training



Weather Fatalities



NWS Gray County Warning Area



Basic Definitions

- WATCH conditions are favorable for severe weather to develop. Valid 4-6 hours. Contains several counties.
- WARNING severe weather has been visually observed or detected on radar. Valid usually 1 hour or less, issued on a storm-by-storm basis.
- STATEMENT provides follow-up information to a warning which is in effect.

Basic Definitions

- TORNADO a violently rotating column of air, attached to a thunderstorm, and in contact with the ground.
- SEVERE THUNDERSTORM − a thunderstorm which produces hail 1 inch diameter, and/or wind gusts 58 mph (50 knots) or stronger.
- FLASH FLOOD a rapid rise in water, usually during or after a period of heavy rain.


Tools for Detecting Storms

- Observations
- Computer models
- Satellite
- Radar
- Storm spotters



Observations

■ We take many measurements of the atmosphere:




Weather Balloons

- Releases twice a day all over the world at the same time – 900 stations worldwide
- Measures temperature, humidity, pressure as it goes up
- ☐ Flight lasts about 2 hrs and can reach as high as 115,000 ft
- Bursts when it reaches it's elastic limit
- Data is input into computer models

Computer Models

- Complex computer programs
- Atmosphere broken down into mathematical equations
- Computer solves equations at future points in time
- Helpful for determining environment in which storms will form


Computer Model Output




Weather Satellites

- □ Orbit 22,000 miles above the earth
- Stay over the same point on the earth (geostationary)
- ☐ Photographs the same areas every 5 to 30 minutes
- Pictures can be made into movies
- Visible and infrared images available

Visible Satellite



Infrared Satellite




Weather Radar Overview



- Transmitter sends out short burst of radio waves
- When waves strike an object, a very small portion of the energy is returned
- Process repeats about1,000 times a second


WSR-88D Reflectivity + Velocity



Radar Limitations

Why we need spotters

Radar Horizon



Radar beam cannot see most of storm "B"

Storm Spotters

- Radar only provides data where scatterers (rain drops or hailstones) are present
- Cloud formations can also provide insight into a storm's intensity
- Trained volunteer spotters provide visual observations to go with the radar and satellite data

The Spotter's Role

Ground Truth - What's really happening:



The Spotter's Role

To be the eyes of the NWS where severe weather is occurring or has occurred:

•Reporting storm type or structure

Reporting damage, flooding or injury from storms


This is Ground Truth

Thunderstorms in New England




- Most severe weather occurs from May through early July
- Most severe weather occurs during the afternoon and evening
- BUT...severe weather can occur any time!

Thunderstorm Days



Severe Thunderstorms



Thunderstorm Threats

- Tornadoes
- "'Straight-line" winds
- ☐ Flash Flooding
- □ Flail
- Lightning



Conditions for Thunderstorms

All thunderstorms, severe or not, need three ingredients in order to form:




1.) Moisture 2.) Instability 3.) Lift


Instability (Non-mechanical Lift)

Convection:

The sun heats the earth's surface, parcels of air rise like bubbles. They continue to rise as long as they remain warmer than the air around them.








Weather balloons provide a vertical profile of the air, which help us "see" instability.

Thunderstorms

Mechanical Lift



Convergence:

where winds from different directions meet, or fast winds meet slow winds.

Cold Front Cold Air Warm Air Warmer Air The COMET Program



Mechanical Lift

Fronts:


boundary between two air masses with different characteristics.

Cooler (drier) air is more dense – acts as a wedge.

Pulse Storms


- Pulse storms are thunderstorms, which can be briefly severe.
 - Their core aloft 'collapses' resulting in a downburst of high winds
 - Warning lead time may be short, but some lead time can be provided.
 - No mesocyclone
 - Often short-lived

Thunderstorm Life Cycle




- Towering cumulus stage
- Nearly all motion is upward (updraft)
- Little or no rain

Thunderstorm Life Cycle



- Mature stage
- Water in cloud is heavy enough to fall as precipitation
- Updraft, downdraft, and precipitation all occurring
- Most likely time for severe weather

Thunderstorm Life Cycle





- Dissipation stage
- Precipitation and downdrafts cut off the updraft
- Nearly all motion is downward
- Storm weakens but can still contain high winds

Downbursts


Downburst Life Cycle







IMPACT -Downdraft quickly accelerates and strikes ground



DISSIPATION Downburst moves
away from point
of impact

Thunderstorm Winds or Downbursts

Much more common than tornadoes

Especially dangerous to mobile homes, vehicles, and aircraft





Winds can exceed 100 mph

Damage swath can cover several hundred miles

Shelf Cloud





Supercell thunderstorm Additional ingredient: wind shear Light, positively-charged Direction of storm travel particles rise. (usually to the northeast). Winds aloft tilt the Intra-cloud Descending air carries ice and haif Weather radar lightning Rising air carries water droplets updraft, separating it from the downdraft Main downdraft Look for the hook Cloud-to-cloud lightning Heavy, negatively-charged particles fall. Wall cloud TORNADO HAIL



Supercell Thunderstorm Features

- Mesocyclone tilted, rotating updraft allows downdraft and updraft to exist separately
- Wall Cloud lowering of cloud base beneath updraft
- Funnel/Tornado occurs within updraft
- Hail Large ice chunks falling from thunderstorm

Supercell Thunderstorms


Rain-free base

Strong inflow wind


Wall cloud


Mesocyclone


Rotation of updraft at or below cloud base



Mesocyclone Formation








Formed by tilting horizontal rotation generated by shear into the vertical

Mesocyclone



Wall Cloud

Lowering of the cloud base – enhanced condensation and inflow






Wall Cloud in NH



Wall Cloud in Portland

Photo by Chris Legro

Portland, ME June 24, 2013





Funnel Cloud

Rotating funnel-shaped cloud extending downward from a thunderstorm base, but not necessarily in contact with the ground.



Tornado

Violently rotating column of air, attached to a thunderstorm base, and in contact with the ground






Look for the dust/debris to determine contact with ground

Hail Formation

- Updraft continues moving water droplets above freezing level
- Droplets freeze to nuclei, hailstones grow
- Hailstones fall when they move out of updraft or become too heavy



Large Hail



Can reach the size of softballs

Fall speeds up to 100 mph (potentially fatal)

The most destructive weather element

Annually causes \$1 billion in damage



- **■** 0.25" Pea
- 0.50" Mothball (M&M)
- **□** 0.75" Penny/Dime
- □ 0.88" Nickel
- 1.00" Quarter
- □ 1.25" Half Dollar
- 1.50" Ping Pong
- □ 1.75" Golf Ball
- □ 2.00" Hen Egg
- 2.50" Tennis Ball
- □ 2.75" Baseball
- □ 4.50" Softball



Coins or Sports Balls (or candy?)

Tornadoes



- Strong/violent tornadoes are rare, but cause most damage
- Enhanced Fujita scale rates tornadoes based on damage

Tornadoes - Weak



About 82% of tornadoes nationwide

Winds up to 110 mph

Lifetime about 1-10 min

Path length usually a couple miles or less

Low percentage of national casualties/damage

Fujita scale: EF0 and EF1

Tornadoes - Strong



About 17% of tornadoes nationwide

Winds 110 to 205 mph

Lifetime about 10-20 min

Path length usually 5-15 miles

Medium percentage of national casualties/damage

Fujita scale: EF2 and EF3

Tornadoes - Violent



Only about 1% of tornadoes nationwide

Winds > 205 mph

Lifetime up to an hour

Path length up to 50 miles

Large percentage of national casualties/damage

Fujita scale: EF4 and EF5



New Hampshire TORNADO July 24, 2008

About 50 mile path length. Max width ½ mile


Moved through 5 counties

Tornado wrapped in rain. No eyewitness reports of funnel.

One fatality

Rated EF2

Areas in red on map had 50% or greater tree damage



New Hampshire TORNADO July 24, 2008



Hampton Falls TORNADO May 21, 2006



Tornado Safety at Home or Work



- Someplace underground is best
- If no underground shelter, get to a small, interior room on the lowest floor
- Closets and bathrooms are good
- Cover yourself with blankets or a mattress

Tornado Safety in Vehicles



- Abandon vehicles for a substantial building
- Cars can be easily tossed about by a tornado's winds
- As a last resort, take cover in a culvert or ditch, but this is not as safe as a solid building

Leighton, AL TORNADO



Tornadoes vs. Downbursts

Tornadoes

- Occurs in thunderstorm **updraft**
- Air is pulled INTO the tornado and up into the thunderstorm.
- Debris is lifted into the tornado and tossed out

Downburst

- Occurs in thunderstorm downdraft
- Air is thrust OUT from the thunderstorm toward the ground and then spreads outward along the ground.
- Debris is blown along the ground but rarely lifted.

Flash Flooding




The #1 killer among severe weather events

Approximately 100 deaths annually

Most deaths occur in vehicles

Many deaths occur at night

Flash Flood Dangers



- 2-3 feet of water can float most vehicles
- □ 6-12 inches can knock a person off balance



Flash Flood Safety



- Turn Around, Don't Drown tm
- Stay clear of flooded areas!
- Stay away from creeks or ditches
- If camping or hiking, know where the high ground is
- Be especially cautious at night

October 1996



Lightning

The #2 killer among weather events

Boaters, golfers, people in open are most vulnerable





Temperature is about 50,000 degrees F

Electric current about 30,000 amperes

Lightning Safety

- Move inside a strong, grounded building
- Move away from water and open areas
- Turn off electrical appliances
- Move inside at the first thunder
- Stay in shelter until 30 minutes after last thunder



http://australiasevereweather.com/

Severe Thunderstorm Safety

- Move inside a strong building
- Stay away from windows
- Mobile homes and vehicles offer poor protection from wind
- Vehicles offer fair protection from hail smaller than golf balls

What to report?

Tornado	Flash Flooding
Funnel Cloud	Rain >1 inch / hour
Rotating Wall Cloud	Rain > 2 inches in a few hours
Winds 50 mph + Any Wind damage	Snow > 1 inch / hour Storm Total Snow
Hail (any size)	Precipitation Type

What to report

- Tornadoes, funnel clouds, wall clouds
- → Hail, high winds, flash flooding
- Any damage caused by storms, including lightning damage
- We commonly verify Severe Thunderstorm Warnings with downed trees – how many, how large in diameter, and where.

What *not* to report:

- Lightning- we have an accurate detection system
- "Dark sky," "It's starting to rain," "It's raining hard," etc.

How to report

■ Call:


800-482-0913

■ E-mail:

gyx.skywarn@noaa.gov

NWS Gray Website

www.weather.gov/gray





Radar









Satellite



Weather Information Display



Forecast Maps





Mature Thunderstorm

Clouds spread out at a stable layer (tropopause)

Large sustained updraft


Woodward, OK May 19, 2012



Supercell Thunderstorm

Well developed "anvil" structure

Hays, KS May 27, 2012




Overshooting top

Updraft is strong enough to penetrate the stable tropopause

Tilted updraft w/rain-free base

Downdraft with rain/hail

Hays, KS May 27, 2012



Find the updraft and downdraft

Wall Cloud

Wall Cloud is an area of lower cloud bases beneath the updraft

Hays, KS May 27, 2012



Where is the updraft?

Where is the downdraft?

Elk City, OK May 19, 2012



Scud

Rising air condenses to form small clouds being pulled into the updraft

Elk City, OK May 19, 2012



Wall Cloud

Anadarko, OK May 19, 2011



Find the updraft and downdraft


Mesocyclone

Adrian, TX May 21, 2012




Scud

Adrian, TX May 21, 2012




Funnel Cloud? Tornado?

Adrian, TX May 21, 2012



Where would the tornado form?

Adrian, TX May 21, 2012



Funnel Cloud

Rear Flank Downdraft (RFD)

Rozel, KS May 18, 2013



Tornado

Rozel, KS May 18, 2013



Funnel Cloud or Tornado?

Tornado

Rozel, KS May 18, 2013



Wall Cloud



Scud




Funnel Cloud



Wall Cloud



Wall Cloud



Updraft/Downdraft?

Wall Cloud?

Funnel Cloud?



Where would a tornado form?

Wall Cloud?

Funnel Cloud?



Where would a tornado form?

Wall Cloud?

Funnel Cloud?



Original circulation dissipates. New circulation takes over



Find the tornado



Find the tornado

Summary

- The NWS has tools for detecting severe weather
- Only by combining the tools with skilled forecasters and spotters can we provide the best service
- Severe storms pose a variety of threats
- We all must be ready when storms threaten

Questions? Contact Us!

National Weather Service 1 Weather Lane, Route 231 Gray, ME 04039 207-688-3216

Website: www.weather.gov/gray